

CFP
WOODS

THERMOWOOD CLADDING &
DECKING



CFP WOODS | 519-763-1466 | info@cfpwoods.com | sales@cfpwoods.com | www.cfpwoods.com





PROUDLY NORTH AMERICAN

NATURAL WOOD, UNNATURAL PERFORMANCE

2022 Edition



INDEX

BACKGROUND	8	CHARRED WOOD	28
THERMALLY MODIFIED WOOD	12		
INTERIOR & EXTERIOR CLADDING		CUSTOM SOLUTIONS	
ASH CLADDING	16	HIDDEN DECK FASTENERS	32
PINE CLADDING	18	END-MATCHING	34
EXTERIOR DECKING		MAINTENANCE	36
ASH DECKING	22		
PINE DECKING	24		
PATINA GREY	26		



**NATURAL WOOD,
UNNATURAL PERFORMANCE**

OUR STORY, EXPERIENCE MATTERS

Cherry Forest Products has three generations of family owned expertise. Taking a hands-on approach to their work while keeping in mind that customer satisfaction is always at the forefront and paramount to the continued long term success of the company.



100% CHEMICAL FREE



ASPIRE TO A NEW STANDARD

Created for the perfectionist with an eye for detail our thermally modified wood is a beautiful, ecological alternative to plastic and tropical hardwoods.

Its striking color, unparalleled durability and unrivaled quality makes every installation a showcase in understated luxury.



UNRIVALED QUALITY



THERMALLY MODIFIED WOOD

Thermal modification is a process that provides extended life to wood. The wood is heated using a combination of temperature, water vapor and the absence of oxygen which results in structural changes to occur within the wood. Once this process is complete it results in increasing the woods stability and provides added durability by increasing the woods resistance to decay.

NATURE'S GIFT TO US, OUR GIFT TO YOU




FSC® CERTIFIED





INTERIOR & EXTERIOR
CLADDING





ASH CLADDING

INSPIRING COLOR, ELITE TEXTURE

Enhance the exterior of your home with a timeless design of wood features.

Our Ash cladding features a high number of open grain patterns while displaying the natural beauty of it's rich brown colors.

CLADDING SIZING

Wood Species	Sizes
Ash	1" x 6" (7/8" x 5.5")

CLADDING PROFILES







PINE CLADDING

TRADITIONAL MEETS MODERN

Our Pine has reached new heights in modern home designs. Adorned with honey brown undertones and available in both clear and knotty grades this is an excellent wood siding choice, while still offering great value and long lasting beauty.

CLADDING SIZING

Wood Species	Sizes
Pine	1" x 5" (7/8" x 4.6")

CLADDING PROFILES







EXTERIOR DECKING





ASH DECKING

EVOKE CONVERSATION


Make a statement with your next outdoor entertainment space.


Our Ash decking will surely initiate a conversation from your guests. Its appealing good looks and long lasting durability make it the perfect choice.

DECKING SIZING

Wood Species	Sizes
Ash	1" x 6" (7/8" x 5.5")

DECKING PROFILES







PINE DECKING

KNOTTY


Made for the outdoor enthusiast who is looking for an adventuresome appearance.

Its rugged good looks presents the perfect opportunity to make a bold statement.

DECKING SIZING

Wood Species	Sizes
Pine	5/4" x 6" (1" x 5.4")

DECKING PROFILES







PATINA GREY

WEATHERED TO PERFECTION

Our thermally modified wood undergoes a unique color transformation as it ages. This look is often described as a "Patina Grey" appearance.

This natural aging effect is often a desired appearance by our clients as it can harmonize well with the natural landscape



CHARRED WOOD

CFP Woods specializes in interior and exterior high-end charred cedar siding. Utilizing local white and red cedar, a well-known construction material known for its rot proof, insect and weather-resistant properties.







CUSTOM SOLUTIONS





HIDDEN DECK FASTENERS SIMPLE YET EFFECTIVE

Spend less time installing and more time enjoying with our patented hidden deck fastener system.

It presents a clean looking deck surface, free from unsightly surface mounted screws, while providing the perfect spacing between deck boards.







END-MATCHING TECHNOLOGY

End matching is the precise trimming on both ends of all board material with a tongue and groove profile.

Without end matched boards, every board must be trimmed on-site. This increases job time and greatly increases waste.







MAINTENANCE

Utilizing the right coating will assist in helping maintain the woods preferred appearance and assist in protecting its surface.

Flat surfaces such as decking require a higher degree of attention to guard against graying, discoloration and surface degradation.

Annual maintenance of exterior wood surfaces should be expected to help maintain the customers preferred appearance and increase the woods longevity.





NATURAL WOOD,
UNNATURAL PERFORMANCE.

